First Coat RES Page 1 of 7



# SAFETY DATA SHEET First Coat RES



SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date issued 08.12.2014

1.1. Product identifier

Product name First Coat RES

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Waterborne primer for resilient flooring

## 1.3. Details of the supplier of the safety data sheet

| Arboritec AB             |
|--------------------------|
| Olof Wijksväg 9          |
| SE-444 65                |
| Jörlanda                 |
| Sverige                  |
| 0303-563 30              |
| 0303-563 32              |
| post@arboritec.com       |
| http://www.arboritec.com |
| Jörgen Kaldemark         |
|                          |

# 1.4. Emergency telephone number

Emergency telephone Vid olycksfall ring:112 och begär giftinformationscentralen.

# SECTION 2: Hazards identification

## 2.1. Classification of substance or mixture

## 2.2. Label elements

Composition on the label Dpropylenglycolmonomethylether:1 - 5 %

2.3. Other hazards

Other hazards When spray applying see section 8.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

SubstanceIdentificationClassificationContentsDpropylenglycolmonomethyletherCAS no.: 34590-94-81 - 5 %

EC no.: 252-104-2 Registration number: 02-2119666108-35-0000

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General Get medical advice/attention if you feel unwell. Never give anything by mouth

to an unconscious person.

First Coat RES Page 2 of 7

| Inhalation   | Use with adequate ventilation.  |
|--------------|---|
| Skin contact | Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash with plenty of soap and water. Do NOT use solvents or thinners.   |
| Eye contact  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. |
| Ingestion    | IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.   |

# 4.2. Most important symptoms and effects, both acute and delayed

# 4.3. Indication of any immediate medical attention and special treatment needed

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media Recommended extinguishing media : alcohol resistant foam, CO2, powders, water spray. Do not use water jet.

# 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

Fire will produce dense black smoke. Decomposition products can be hazardous. At high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2), smoke, nitrogen gases (NOx).

# 5.3. Advice for firefighters

Personal protective equipment Wear respiratory protection.

Other Information Eliminate all ignition sources if safe to do so. Do not allow run-off from fire fighting to enter drains or water courses.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

See section 7 and 8.

In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

## 6.2. Environmental precautions

Environmental precautionary

measures

Collect spillage. Avoid release to the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.

# 6.3. Methods and material for containment and cleaning up

Cleaning method

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

## 6.4. Reference to other sections

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Handling Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid breathing dust.

## **Protective Safety Measures**

Protective Safety Measures Smoking, eating and drinking should be prohibited in application area.

First Coat RES Page 3 of 7

|                        | Remove contaminated clothing and protective gear before you get to an area where meals are taken. |
|------------------------|---|
| Additional information | For personal protection see Section 8. Never use pressure to empty :                              |
|                        | container is not a pressure vessel.   |

# 7.2. Conditions for safe storage, including any incompatibilities

| Storage             | Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store in a dry place.   |
|---------------------|---|
|                     | giri, igris, process in the process of |
|                     | Tillse att gällande arbetsmiljölagstiftning följs.  |
| Conditions To Avoid | Keep away from heat / sparks / open flames / hot surfaces. — No smoking.  |
|                     | Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline  |
|                     | and strongly acid materials. Prevent unauthorized access.   |

# **Conditions for safe storage**

Storage Temperature Value: 5-25 Celsius

# 7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

# Specific end users

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# **Occupational Exposure limit values**

| Occupational Exposure in       |  |   |          |
|--------------------------------|--|---|----------|
| Substance                      | Identification   | Value   | TWA Year |
| Dpropylenglycolmonomethylether | CAS no.: 34590-94-8<br>EC no.: 252-104-2<br>Registration number: 02-<br>2119666108-35-0000 | 8-hour TWA: 50 ppm AFS 2011:18 (Sweden 12/2011). Absorbed through the skin 8-hour TWA: 300 mg/m3 AFS 2011:18 (Sweden 12/2011). Absorbed through the skin 15 min.: 75 ppm AFS 2011:18 (Sweden 12/2011). Absorbed through the skin 15 min.: 450 mg/m3 AFS 2011:18 (Sweden 12/2011). Absorbed through the skin |          |

| Substance                              | Dpropylenglycolmonomethylether   |
|--|--|
| Technical measures to prevent exposure | Airborne gas and dust concentrations should be kept to a minimum and under the existing limits (see above). Possibly use an exhaust in case the air in the work room is not enough. Provide clearly visible signs of eye shower and emergency showers. |
| Recommended type of equipment          | Recommended: A, Class 1 (low Capacity), brown  |
| Skin-/ hand protection, long term      | See the manufacturer's instructions.   |
| contact                                |  |
| Suitable gloves type                   | Rekommenderad: Nitril  |
| Eye protection                         | At the risk of splashing, close-fitting goggles or face shield.  |
| Specific hygiene measures              | The exposed area of the body should be washed at every pause when use the product, and after work. Wash always hands, forearms and face.   |
| Environmental exposure controls        | No special requirements.   |
| Exposure control comments              | Professionals are covered by safety legislation on maximum concentrations of exposure.   |

First Coat RES Page 4 of 7

# 8.2. Exposure controls

# Precautionary measures to prevent exposure

| Appropriate engineering controls | Use with adequate ventilation. If possible this should be achieved by local      |
|----------------------------------|--|
|                                  | extraction and good exhaust ventilation. If these are not sufficient to maintain |
|                                  | concentrations of particulates and solvent vapors below the OEL, suitable        |
|                                  | respiratory equipment.   |
| Respiratory protection           |  |

| Respiratory protection | Respiratory protection with gas filter (brown A) must be used if air     |
|------------------------|--|
|                        | concentration exceeds acceptable level (OEL).                            |
| Mask type              | When spraying, use half-or full face mask with filter P2 (IIb) to spray. |

# **Hand protection**

| Hand protection                   | Wear cold insulating gloves / face shield / eye protection.                 |
|-----------------------------------|---|
| Skin-/ hand protection, long term | For prolonged or repeated contact use gloves made of butyl rubber.          |
| contact                           |   |
| Suitable materials                | Barrier creams may help to protect the skin, but they should however not be |
|                                   | used once exposure has occurred.  |

# Eye / face protection

| Suitable Eye Protection | Wear cold insulating gloves / face shield / eye protection. |
|-------------------------|---|
|                         |   |

# **Skin protection**

Physical state

Skin protection (except hands) Wear fire / flame resistant / retardant clothing.

# **Exposure controls**

Safety measures for consumer use of the chemical

Read label before use.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties Liauid.

| i riyolcai otate                    | Liquiu.                           |
|-------------------------------------|-----------------------------------|
| Odour                               | Faint.                            |
| Comments, Odour limit               | Not applicable.                   |
| Comments, pH (as supplied)          | Not determined.                   |
| Comments, pH (aqueous solution)     | Not determined .                  |
| Comments, Melting point / melting   | Not determined.                   |
| range                               |                                   |
| Comments, Boiling point / boiling   | Not determined.                   |
| range                               |                                   |
| Flash point                         | Value: 105 °C                     |
| Comments, Evaporation rate          | Not determined.                   |
| Flammability (solid, gas)           | Not determined                    |
| Lower explosion limit with unit of  | 1,1%                              |
| measurement                         |                                   |
| Upper explosion limit with units of | 14%                               |
| measurement                         |                                   |
| Comments, Explosion limit           | Not applicable.                   |
| Comments, Vapour pressure           | Not determined.                   |
| Comments, Vapour density            | Not determined.                   |
| Specific gravity                    | Value: 1,05 g/ml                  |
|                                     | Method of testing: CC-Stängd kopp |
|                                     | Test temperature: 23 °C           |
| Solubility in water                 | unlimited.                        |
| Comments, Partition coefficient: n- | Not applicable.                   |
| octanol / water                     |                                   |
| Comments, Viscosity                 | Not determined.                   |
|                                     | Does not affect the assessment.   |
|                                     |                                   |

First Coat RES Page 5 of 7

| Explosive properties | Not explosive. |
|----------------------|----------------|
| Oxidising properties | Not Oxidising. |

## 9.2. Other information

Content Of Voc Value: 42 g/l

Comments: Initial boiling point lower or equal to 250 grad Celsius.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity No reactive.

## 10.2. Chemical stability

Stable under recommended storage and handling conditions (see section 7).

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
No dangerous if handled according to Technical Information.

### 10.4. Conditions to avoid

Conditions to avoid No applicable.

# 10.5. Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and strongly acid materials

in order to avoid exothermic reaction.

## 10.6. Hazardous decomposition products

Hazardous decomposition products

When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicological data for substances

| Substance   | Dpropylenglycolmonomethylether  |
|-------------|---|
| LD50 oral   | Value: 5,5 mL/kg  |
|             | Animal test species: Rat  |
| LD50 dermal | Value: 10 ml/kg   |
|             | Animal test species: Rabbit   |
| Comments    | Neurotoxic effects: This product contains solvents, which can have an effect    |
|             | on the nervous system. Symptoms of neurotoxicity may include: loss of           |
|             | appetite, headache, dizziness. ringing in the ears, tingling sensation of the   |
|             | skin, cold sensitivity, seizures, difficulty concentrating, tiredness, etc      |
|             | Repeated exposure to solvents can result in the degradation of the skin's       |
|             | natural layer of fat. The skin is then exposed to uptake of harmful substances, |
|             | such as allergens.  |

## Potential acute effects

| cause drowsiness or dizziness. May cause respiratory irritation.       |
|--|
| formation is available.  |
| formation available.   |
| stion may cause nausea and vomiting.                                   |
| formation available.   |
|  |
| n applying see section 8.  |
| ashed in the eyes, the liquid may cause irritation and reversible age. |
|  |

## Delayed effects / repeated exposure

| General respiratory of skill | Prolonged of repeated contact may defat the skin, resulting in non-allergic |
|------------------------------|---|
| sensitisation                | contact eczema and absorption through the skin.                             |

First Coat RES Page 6 of 7

| STOT-single exposure   | No information available. |
|------------------------|---------------------------|
| STOT-repeated exposure | No information available. |

# Carcinogenic, Mutagenic or Reprotoxic

| Carcinogenicity human experience | No information is available. |
|----------------------------------|------------------------------|
| Germ Cell Mutagenicity, human    | No information available.    |
| experience                       |                              |
| Reproductive toxicity            | No information available     |

# SECTION 12: Ecological information

# 12.1. Toxicity

Acute aquatic, fish, Comments Not expected to be toxic to aquatic life.

# Toxicological data for substances

# 12.2. Persistence and degradability

Persistence and degradability Not determined. description

# 12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

12.4. Mobility in soil

Mobility Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT assessment results Not classified as PBT / vPvB of current EU criteria.

### 12.6. Other adverse effects

Other adverse effects / Remarks None known.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

| Specify the appropriate methods of | Avoid release to the environment. Collect spillage. Wastes and empty       |
|------------------------------------|--|
| disposal                           | containers should be disposed of in accordance with regulations made under |
|                                    | the Control of Pollution Act and the Environmental Protection Act.         |
| Product classified as hazardous    | No   |
| waste                              |  |
| EWC waste code                     | EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY                   |
|                                    | AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS                 |
|                                    | ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS                            |

# SECTION 14: Transport information

# 14.1. UN number

| Comments | Not dangerous goods.   |
|----------|--|
|          | Transport in accordance with national law and ADR for road, RID for rail,    |
|          | IMDG for sea and ICAO / IATA for air. For complete information on transport, |
|          | see transport document.  |

# 14.2. UN proper shipping name

| ADR       |  |
|-----------|--|
| RID       |  |
| IMDG      |  |
| ICAO/IATA |  |

# 14.3. Transport hazard class(es)

## 14.4. Packing group

## 14.5. Environmental hazards

IMDG Marine pollutant No

First Coat RES Page 7 of 7

# 14.6. Special precautions for user

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Legislation and regulations | The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.  |
|-----------------------------|--|
|                             | Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.  |
|                             | Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3.  Safety data sheet is designed according to EU Commission Regulation No. |

# 15.2. Chemical safety assessment

Chemical safety assessment performed

No

1907/2006.

# **SECTION 16: Other information**

| version                           | 1  |
|-----------------------------------|--|
| Responsible for safety data sheet | Arboritec AB   |
| Comments                          | The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties. |